







TS Controller Programming Cables











 <p>TS-S TS-S2 TS-SH</p> <p>Programming Software: TS-Manager</p>	<p>Programming Cable: Serial PC to Controller</p> <ul style="list-style-type: none"> • KCA-M538F-01 (DB-9 to Mini-Din) 		
	<p>Programming Cable: USB PC to Controller</p> <ul style="list-style-type: none"> • KCA-M538F-A0 (USB to Mini-Din) Supports Windows XP, Vista, Windows 7, Windows 10 32 and 64-bit 		
	<p>Pre-wired I/O Convenience Package: Saves labor of soldering supplied multi pin connector.</p> <ul style="list-style-type: none"> • YA00245 – 1.5 M (IO to DB-50) • YA00260 – 50 Pin Breakout Block <p><small>*additional lengths are available at longer lead times. New Shielded Cable New ROHS Compliant</small></p> 		
 <p>TS-X Or TS-P</p> <p>Programming Software: TS-Manager</p>	<p>Programming Cable: Serial PC to Controller</p> <ul style="list-style-type: none"> • KCA-M538F-00 (DB-9 to Mini-Din) 		
	<p>Programming Cable: USB PC to Controller</p> <ul style="list-style-type: none"> • KCA-M538F-A0 (USB to Mini-Din) Supports Windows XP, Vista, Windows 7, Windows 10 32 and 64-bit 		
	<p>Pre-wired I/O Convenience Package: Saves labor of soldering supplied multi pin connector.</p> <ul style="list-style-type: none"> • YA00245 – 1.5 M (IO to DB-50) • YA00260 – 50 Pin Breakout Block <p><small>*additional lengths are available at longer lead times. New Shielded Cable New ROHS Compliant</small></p> 		

RCX 340, RCX 240 Controller Programming Cables

 <p>RCX-340</p> <p>Programming Software: RCX-Studio or RCX-Studio 2020</p>	<p>Programming Cable: Serial PC to Controller</p> <ul style="list-style-type: none"> • KAS-M538F-10 (DB-9 to DB-9) NEW: Has e-stop jumper in cable 		
	<p>Programming Cable: USB PC to Controller</p> <ul style="list-style-type: none"> • KBG-M538F-00 (USB to DB-9) Supports Windows XP, Vista, Windows 7, Windows 10 32 and 64-bit 		
	<p>Pre-wired I/O Convenience Package: Saves labor of soldering supplied multi pin connector.</p> <ul style="list-style-type: none"> • YA00257 – 1.5 M (IO to DB-50) • YA00260 – 50 Pin Breakout Block <p><small>*additional lengths are available at longer lead times. New Shielded Cable New ROHS Compliant</small></p> 		
 <p>RCX-240 RCX-144 RCX-143 RCX-142 RCX-141 RCX-40</p> <p>Programming Software: VIP or VIP+</p>	<p>Programming Cable: Serial PC to Controller</p> <ul style="list-style-type: none"> • KAS-M538F-10 (DB-9 to DB-9) NEW: Has e-stop jumper in cable 		
	<p>Programming Cable: USB PC to Controller</p> <ul style="list-style-type: none"> • KBG-M538F-00 (USB to DB-9) Supports Windows XP, Vista, Windows 7, Windows 10 32 and 64-bit 		
	<p>Pre-wired I/O Convenience Package: Saves labor of soldering supplied multi pin connector.</p> <ul style="list-style-type: none"> • YA00249 – 1.5 M (IO to DB-50) • YA00260 – 50 Pin Breakout Block <p><small>*additional lengths are available at longer lead times. New Shielded Cable New ROHS Compliant</small></p> 		

RPB, PBX Pendant Accessories		
<p style="text-align: center;">PBX</p> 	<p>PBX Extension Cable Use to take advantage of Grace Port or lengthen std. PBX cable Length.</p> <ul style="list-style-type: none"> • 9000006 (1.5M length) • 9000007 (3.0M length) • 9000008 (5.0M length) 	
	<p>GracePort Allows for Ethernet, PBX, and 110V outlet.</p> <ul style="list-style-type: none"> • P-R2-H3RD-T210 	
<p style="text-align: center;">RPB</p> 	<p>PBX Extension Cable Use to take advantage of Grace Port or lengthen std. PBX cable Length.</p> <ul style="list-style-type: none"> • 9000006 (1.5M length) • 9000007 (3.0M length) • 9000008 (5.0M length) 	
	<p>GracePort Allows for Ethernet, RPB, and 110V outlet.</p> <ul style="list-style-type: none"> • P-R2-H3RD-T210 	

RCX 221/222, RDX or RDP Controller Programming Cables

 <p>RCX-221 or RCX-222</p> <p>Programming Software: VIP or VIP+</p>	<p>Programming Cable: Serial PC to Controller</p> <ul style="list-style-type: none"> • KAS-M538F-10 (DB-9 to DB-9) NEW: Has e-stop jumper in cable 		
	<p>Programming Cable: USB PC to Controller</p> <ul style="list-style-type: none"> • KBG-M538F-00 (USB to DB-9) Supports Windows XP, Vista, Windows 7 32 and 64-bit 		
	<p>Pre-wired I/O Convenience Package: Saves labor of soldering supplied multi pin connector.</p> <ul style="list-style-type: none"> • YA00257 – 1.5 M (IO to DB-50) • YA00260 – 50 Pin Breakout Block <p><small>*additional lengths are available at longer lead times. New Shielded Cable New ROHS Compliant</small></p> 		
 <p>RDX Or RDP</p> <p>Programming Software: TOP</p>	<p>Programming Cable: Serial PC to Controller</p> <ul style="list-style-type: none"> • KBH-M538F-000 		
	<p>Pre-wired I/O Convenience Package: Saves labor of soldering supplied multi pin connector.</p> <ul style="list-style-type: none"> • YA00257 – 1.5 M (IO to DB-50) • YA00260 – 50 Pin Breakout Block <p><small>*additional lengths are available at longer lead times. New Shielded Cable New ROHS Compliant</small></p> 		

ERCD, SR1-X or SR1-P Controller Programming Cables

 <p>ERCD</p> <p>Programming Software: Popcom+</p>	<p>Programming Cable: Serial PC to Controller</p> <ul style="list-style-type: none"> KAS-M538F-10 (DB-9 to DB-9) NEW: Has e-stop jumper in cable <p>Looking for the OLD white adapter? <i>See obsolete section below</i></p>		
	<p>Programming Cable: USB PC to Controller</p> <ul style="list-style-type: none"> KBG-M538F-00 (USB to DB-9) Supports Windows XP, Vista, Windows 7 32 and 64-bit 		
	<p>Pre-wired I/O Cable Options:</p> <ul style="list-style-type: none"> NONE (currently not planned) Comes with a Ribbon to Pigtail Uses a standard 40 pin flat ribbon 		
 <p>SR1-X Or SR1-P</p> <p>Programming Software: Popcom+</p>	<p>Programming Cable: Serial PC to Controller</p> <ul style="list-style-type: none"> KAS-M538F-10 (DB-9 to DB-9) NEW: Has e-stop jumper in cable <p>Looking for the OLD white adapter? <i>See obsolete section below</i></p>		
	<p>Programming Cable: USB PC to Controller</p> <ul style="list-style-type: none"> KBG-M538F-00 (USB to DB-9) Supports Windows XP, Vista, Windows 7 32 and 64-bit 		
	<p>Pre-wired I/O Convenience Package: Saves labor of soldering supplied multi pin connector.</p> <ul style="list-style-type: none"> YA00257 – 1.5 M (IO to DB-50) YA00260 – 50 Pin Breakout Block <p><small>*additional lengths are available at longer lead times. New Shielded Cable New ROHS Compliant</small></p> 		
	<p>SRCX to SR1X Upgrade Convenience Package: Eliminate the need to re-wire a machine's wiring when upgrading a SRCX controller.</p> <ul style="list-style-type: none"> KBG-M533G-B00 (I/O Adapter) KX0-M53E0-00 (Power Adapter) 		

SCARA “Z” Axis Brake Release Kits



ANY SCARA or Cartesian
with a Z Axis

Optional Maintained Button Kit

- YA00130
- CABLE:
BRAKE
RELEASE KIT -
MAINTAINED:
SCARA/XY



Watch a video for more information:
https://www.youtube.com/watch?v=b_pLP2ZV0e8



ANY SCARA or Cartesian
with a Z Axis

Optional Momentary Button Kit

- YA00131
- CABLE:
BRAKE
RELEASE KIT -
MOMENTARY:
SCARA/XY











Watch a video for more information:
https://www.youtube.com/watch?v=b_pLP2ZV0e8

Obsolete or Replaced Items

 <p>ERCD</p> <p>Programming Software: Popcom+</p>	<p>Programming Cable: Serial PC to Controller</p> <p>NOTE: The “white adapter shown is no longer available from Japan. Must be replaced with entire new cable above - KAS-M538F-10”</p> <ul style="list-style-type: none"> *KR7-M538F-100 (DB-9 to DB-25) with OBSELETE: **KAX-M657E-010 (DB-25 to DB-9) Has e-stop jumper in Adapter *note: same as YA15409 (obsolete number) **note: same as YA15411 (obsolete number) 	
 <p>SR1-X Or SR1-P</p> <p>Programming Software: Popcom+</p>	<p>Programming Cable: Serial PC to Controller</p> <p>NOTE: The “white adapter shown is no longer available from Japan. Must be replaced with entire new cable above - KAS-M538F-10”</p> <ul style="list-style-type: none"> *KR7-M538F-100 (DB-9 to DB-25) with OBSELETE: **KAX-M657E-010 (DB-25 to DB-9) Has e-stop jumper in Adapter *note: same as YA15409 (obsolete number) **note: same as YA15411 (obsolete number) 	

ERCX, SRCX, DRCX Older Controllers

 <p>ERCX</p> <p>Programming Software: Popcom+</p>	<p>Programming Cable: Serial PC to Controller</p> <ul style="list-style-type: none"> *KR7-M538F-100 (DB-9 to DB-25) Has e-stop jumper in cable *note: same as YA15409 (obsolete number) 	
	<p>Pre-wired I/O Convenience Package: Saves labor of soldering supplied multi pin connector.</p> <ul style="list-style-type: none"> YA00253 – 1.0 M (IO to DB-50) YA00254 – 3.0 M (IO to DB-50) YA00255 – 5.0 M (IO to DB-50) YA00260 – 50 Pin Breakout Block 	
 <p>SRCX</p> <p>Programming Software: Popcom+</p>	<p>Programming Cable: Serial PC to Controller</p> <ul style="list-style-type: none"> *KR7-M538F-100 (DB-9 to DB-25) Has e-stop jumper in cable Standard USB to DB-9 (KBG-M538F-00) AND DB-25-DB-9 adapter (KBB-M657E-01) *note: same as YA15409 (obsolete number) 	
	<p>Pre-wired I/O Convenience Package: Saves labor of soldering supplied multi pin connector.</p> <ul style="list-style-type: none"> YA00253 – 1.0 M (IO to DB-50) YA00254 – 3.0 M (IO to DB-50) YA00255 – 5.0 M (IO to DB-50) YA00260 – 50 Pin Breakout Block 	
 <p>DRCX</p> <p>Programming Software: Popcom+</p>	<p>Programming Cable: Serial PC to Controller</p> <ul style="list-style-type: none"> *KR7-M538F-100 (DB-9 to DB-25) Has e-stop jumper in cable and Keyspan adapter Standard USB to DB-9 (KBG-M538F-00) AND DB-25-DB-9 adapter (KBB-M657E-01) *note: same as YA15409 (obsolete number) 	
	<p>Pre-wired I/O Convenience Package: Saves labor of soldering supplied multi pin connector.</p> <ul style="list-style-type: none"> YA00253 – 1.0 M (IO to DB-50) YA00254 – 3.0 M (IO to DB-50) YA00255 – 5.0 M (IO to DB-50) YA00260 – 50 Pin Breakout Block 	